

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	27	(san or (storage adj2 network)) and (lun with (mask\$3 or filter\$3)) and driver and access and ((@ad<"20011005") or (@prad<"20011005") or (@rlad<"20011005"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 11:09
L2	7	("5,790,795" "5,802,327" "5,809,224" "5,954,796" "5,960,451" "6,058,489" "6,154,854").pn.	USPAT	OR	OFF	2005/10/26 11:02
L3	2	L2 and mask\$3	USPAT	OR	OFF	2005/10/26 11:02
L4	32	(san or (storage adj2 network)) and ((lun or (logical adj2 number)) with (mask\$3 or filter\$3)) and driver and access\$3 and ((@ad<"20011005") or (@prad<"20011005") or (@rlad<"20011005"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 13:33
L5	5	l4 not l1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 11:13
L7	2	"6671820".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 11:13
L16	4	(719/321,325-326.ccls. or 711/163.ccls.) and ((lun or (logical adj2 number)) with (mask\$3 or filter\$3)) and driver and access\$3 and ((@ad<"20011005") or (@prad<"20011005") or (@rlad<"20011005"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 16:21
S2	1	"20040015540"	US-PGPUB; USPAT	OR	OFF	2005/05/11 11:15
S3	1	"20030149795"	US-PGPUB; USPAT	OR	OFF	2005/10/26 14:11
S5	13	(san or (storage adj2 network)) and (lun with mask\$3) and port and class and ((@ad<"20011005") or (@prad<"20011005") or (@rlad<"20011005"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 09:02
S6	6	storage with (port and class) near driver and ((@ad<"20011005") or (@prad<"20011005") or (@rlad<"20011005"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:57

S9	7	("5,790,795" "5,802,327" "5,809,224" "5,954,796" "5,960,451" "6,058,489" "6,154,854").pn.	USPAT	OR	OFF	2005/10/26 11:02
S11	36	(san or (storage adj2 network)) and (lun or (logical adj2 number)) and (host adj2 adapter) with driver and ((@ad<"20011005") or (@prad<"20011005") or (@rlad<"20011005"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 17:24
S14	40	(san or (storage adj2 network)) and (lun with (mask\$3 or filter\$3)) and access and ((@ad<"20011005") or (@prad<"20011005") or (@rlad<"20011005"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 12:49
S15	27	(san or (storage adj2 network)) and (lun with (mask\$3 or filter\$3)) and driver and access and ((@ad<"20011005") or (@prad<"20011005") or (@rlad<"20011005"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 12:49
S16	1	"6035023".pn.	USPAT	OR	OFF	2005/05/12 15:54
S17	3	(storage adj system adj coupled).ti.	USPAT	OR	OFF	2005/05/13 12:24

Find: [Documents](#)[Citations](#)Searching for **PHRASE lun masking**.Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)**Order: number of citations.**

[Introducing A Flexible Data Transport Protocol - For Network Storage \(2002\)](#) [\(Correct\)](#)  
security for data transport. FC does have **LUN Masking**, but this is mostly a function of the FC  
that Fibre Channel's main security mechanism is **LUN masking** which is implemented mostly on the switch.  
[romulus.gsfc.nasa.gov/msst/conf2002/papers/d04cp-pkh.pdf](http://romulus.gsfc.nasa.gov/msst/conf2002/papers/d04cp-pkh.pdf)

Try your query at: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)CiteSeer.IST - Copyright [Penn State](#) and [NEC](#)